

Clinical Policy: Elagolix (Orilissa), Elagolix/Estradiol/Norethinedrone (OriaHnn)

Reference Number: CP.PHAR.136

Effective Date: 08.28.18

Last Review Date: 11.25

Line of Business: Commercial, HIM*, Medicaid

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

Elagolix (Orilissa[®]) is a gonadotropin-releasing hormone (GnRH) receptor antagonist.

Elagolix/estradiol/norethinedrone; elagolix (OriaHnn[®]) is a combination of a GnRH receptor antagonist with an estrogen and progestin.

**For Health Insurance Marketplace (HIM), if request is through pharmacy benefit, OriaHnn is non-formulary and should not be approved using these criteria; refer to the formulary exception policy, HIM.PA.103.*

FDA Approved Indication(s)

Orilissa is indicated for the management of moderate to severe pain associated with endometriosis.

OriaHnn is indicated for the management of heavy menstrual bleeding associated with uterine leiomyomas (fibroids) in premenopausal women.

Limitation(s) of use:

- For Orilissa, the duration of use should be limited based on the dose and coexisting condition.
- Use of OriaHnn should be limited to 24 months due to the risk of continued bone loss, which may not be reversible.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Orilissa and OriaHnn are **medically necessary** when the following criteria are met:

I. Initial Approval Criteria**A. Endometriosis Pain** (must meet all):

1. Diagnosis of pain due to endometriosis;
2. Request is for Orilissa;
3. Prescribed by or in consultation with a gynecologist or reproductive endocrinologist;
4. Age \geq 18 years;

5. Failure of a 3-month trial within the last year of an agent from one of the following drug classes, unless clinically significant adverse effects are experienced or all are contraindicated (a or b):[†]

[†]For Illinois HIM requests, the step therapy requirements below do not apply as of 1/1/2026 per IL HB 5395

- a. Non-steroidal anti-inflammatory drug (*see Appendix B for examples*);
- b. Oral or depot injectable progestin or progestin-containing contraceptive (*see Appendix B for examples*);
6. Member has not already received ≥ 24 cumulative months of treatment with elagolix-containing products (e.g., Orilissa, Oriahnn);
7. Dose does not exceed 400 mg per day.

Approval duration: 6 months for 200 mg twice daily; 12 months for 150 mg once daily

Total duration of therapy should not exceed 6 months for 200 mg twice daily or 24 months for 150 mg once daily.

B. Heavy Menstrual Bleeding Associated with Uterine Fibroids (must meet all):

1. Diagnosis of uterine leiomyomas (fibroids) confirmed by ultrasound;
 2. Request is for Oriahnn;
 3. Prescribed by or in consultation with a gynecologist or reproductive endocrinologist;
 4. Age ≥ 18 years;
 5. Member has experienced heavy menstrual bleeding for at least 2 consecutive cycles;
 6. Failure of a 3-month trial of a combination estrogen-progestin contraceptive agent (*see Appendix B for examples*);[†]
- [†]For Illinois HIM requests, the step therapy requirement above does not apply as of 1/1/2026 per IL HB 5395*
7. Member has not already received ≥ 24 cumulative months of treatment with elagolix-containing products (e.g., Orilissa, Oriahnn);
 8. Dose does not exceed 600 mg of elagolix per day.

Approval duration: 12 months

Total duration of therapy should not exceed 24 months.

C. Other diagnoses/indications (must meet 1 or 2):

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace, and CP.PMN.255 for Medicaid; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace, and CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line

of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. Endometriosis Pain (must meet all):

1. Member meets one of the following (a or b):
 - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
 - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
2. Request is for Orilissa;
3. Member is responding positively to therapy as evidenced by improvement in dysmenorrhea, dyspareunia, pelvic pain/induration/tenderness, or size of endometrial lesions;
4. Member has not already received ≥ 24 cumulative months of treatment with elagolix-containing products (e.g., Orilissa, OriaHnn);
5. If request is for a dose increase, new dose does not exceed 400 mg per day.

Approval duration: up to 6 months for 200 mg twice daily; up to 12 months for 150 mg once daily

Total lifetime duration of therapy should not exceed 6 months for 200 mg twice daily or 24 months for 150 mg once daily. Requests for dose de-escalated continuation of therapy after 6 months of 200 mg twice daily will be denied based upon lack of clinical evidence of safety of continued dosing beyond 6 months.

B. Heavy Menstrual Bleeding Associated with Uterine Fibroids (must meet all):

1. Member meets one of the following (a or b):
 - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
 - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
2. Request is for OriaHnn;
3. Member is responding positively to therapy as evidenced by reduced menstrual blood loss;
4. Member has not already received ≥ 24 cumulative months of treatment with elagolix-containing products (e.g., Orilissa, OriaHnn);
5. If request is for a dose increase, new dose does not exceed 600 mg of elagolix per day.

Approval duration: up to 12 months

Total duration of therapy should not exceed 24 months.

C. Other diagnoses/indications (must meet 1 or 2):

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):

- a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace, and CP.PMN.255 for Medicaid; or
- b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace, and CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace and CP.PMN.53 for Medicaid, or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

BMD: bone mineral density

FDA: Food and Drug Administration

GnRH: gonadotropin-releasing hormone

OATP: organic anion transporting polypeptide

Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent for all relevant lines of business and may require prior authorization.

Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose
NSAIDs: ibuprofen, naproxen, fenoprofen, ketoprofen, mefenamic acid, meclofenamate, indomethacin, tolmetin, diclofenac, etodolac, diflunisal, meloxicam, piroxicam	Varies – refer to specific prescribing information	Varies – refer to specific prescribing information
Progestin-containing oral contraceptives: norethindrone, ethinyl estradiol + (desogestrel, ethynodiol diacetate, drospirenone, etonogestrel, levonorgestrel, norelgestromin, norethindrone, norgestimate, or norgestrel); estradiol valerate + dienogest; mestranol + norethindrone	1 tablet PO QD	1 tablet/day
Depot injection progestin contraceptives: medroxyprogesterone acetate (Depo-Provera [®] , Depo-SubQ Provera 104 [®])	IM: 150 mg every 13 weeks SC: 104 mg every 12 to 14 weeks	IM: 150 mg/3 months SC: 104 mg/3 months

Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose
Combination estrogen-progestin contraceptive agent: ethinyl estradiol + (desogestrel, ethynodiol diacetate, drospirenone, etonogestrel, levonorgestrel, norelgestromin, norethindrone, norgestimate, or norgestrel)	1 tablet PO QD	1 tablet/day

Therapeutic alternatives are listed as Brand name[®] (generic) when the drug is available by brand name only and generic (Brand name[®]) when the drug is available by both brand and generic.

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s):
 - Pregnancy
 - Known osteoporosis
 - Severe hepatic impairment
 - Concomitant use of strong organic anion transporting polypeptide (OATP) 1B1 inhibitors (e.g., cyclosporine and gemfibrozil)
 - Orilissa only:
 - Hypersensitivity reaction to ORILISSA or any of its inactive components. Reactions have included anaphylaxis and angioedema.
 - Oriahnn only:
 - With a high risk of arterial, venous thrombotic, or thromboembolic disorders. Examples include women over 35 years of age who smoke, and women who are known to have:
 - Current or history of deep vein thrombosis or pulmonary embolism
 - Vascular disease (e.g., cerebrovascular disease, coronary artery disease, peripheral vascular disease)
 - Thrombogenic valvular or thrombogenic rhythm diseases of the heart (for example, subacute bacterial endocarditis with valvular disease, or atrial fibrillation)
 - Inherited or acquired hypercoagulopathies
 - Uncontrolled hypertension
 - Headaches with focal neurological symptoms or have migraine headaches with aura if over age 35
 - With current or history of breast cancer or other hormonally-sensitive malignancies, and with increased risk for hormonally-sensitive malignancies
 - With undiagnosed abnormal uterine bleeding
 - With known anaphylactic reaction, angioedema, or hypersensitivity to Oriahnn or any of its components
- Boxed warning(s):
 - Orilissa: None reported
 - Oriahnn: Thromboembolic disorders and vascular events

Appendix D: General Information

- Orilissa and Oriahnn cause dose-dependent decrease in bone mineral density (BMD). BMD loss is greater with increasing duration of use and may not be completely reversible

after stopping treatment. The impact of these BMD decreases on long-term bone health and future fracture risk are unknown.

V. Dosage and Administration

Drug Name	Indication	Dosing Regimen	Maximum Dose
Elagolix (Orilissa)	Endometriosis pain	150 mg PO QD or 200 mg PO BID	150 mg/day x 24 months if no coexisting conditions or x 6 months if member has moderate hepatic impairment OR 400 mg/day x 6 months
Elagolix/estradiol/norethinedrone; elagolix (OriaHnn)	Heavy menstrual bleeding due to uterine fibroids	PO for up to 24 months: one capsule (elagolix 300 mg, estradiol 1 mg, norethindrone acetate 0.5 mg) in the morning and one capsule (elagolix 300 mg) in the evening	See regimen

VI. Product Availability

Drug Name	Product Availability
Elagolix (Orilissa)	Tablets: 150 mg, 200 mg
Elagolix/estradiol/norethinedrone; elagolix (OriaHnn)	Morning (AM) capsule: elagolix 300 mg, estradiol 1 mg, norethindrone acetate 0.5 mg Evening (PM) capsule: elagolix 300 mg

VII. References

1. Orilissa Prescribing Information. North Chicago, IL: AbbVie Inc.; June 2023. Available at: <http://www.orilissa.com>. Accessed July 10, 2025.
2. OriaHnn Prescribing Information. North Chicago, IL: AbbVie Inc.; June 2023. Available at: <http://www.oriahnn.com>. Accessed July 10, 2025.
3. American College of Obstetricians and Gynecologists. Practice bulletin: clinical management guidelines for obstetrician-gynecologist: management of endometriosis. Am J Obstet Gynecol 2010;116(1):223-236.
4. American College of Obstetricians and Gynecologists. Practice bulletin: clinical management guidelines for obstetrician-gynecologist: alternatives to hysterectomy in the management of leiomyomas. Am J Obstet Gynecol. 2008;112(2):387-400.
5. American College of Obstetricians and Gynecologists. Practice bulletin, number 228: Management of symptomatic uterine leiomyomas. Am J Obstet Gynecol. 2021; 137(6): 1131-1133.

6. National Institute for Health and Care Excellence. Endometriosis: diagnosis and management. Updated November 11, 2024. Available at: <https://www.nice.org.uk/guidance/ng73/resources/endometriosis-diagnosis-and-management-pdf-1837632548293>. Accessed July 10, 2025.
7. Clinical Pharmacology [database online]. Tampa, FL: Gold Standard, Inc.; 2025. Available at: <https://www.clinicalkey.com/pharmacology/>. Accessed August 13, 2025.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
4Q 2021 annual review: removed the requirement for confirmation that the member does not have osteoporosis for both Orilissa and Oriahnn; revised continuation of therapy auth duration language to emphasize that the 6-month duration of 200 mg twice daily is a lifetime limit, and that dose de-escalated continuation of therapy after 6 months of 400 mg/day will not be covered; HIM.PHAR.21 revised to HIM.PA.154; references reviewed and updated.	06.21.21	11.21
4Q 2022 annual review: added reproductive endocrinologist as a prescriber option; added requirement that member has not previously received 24 or more months of cumulative elagolix therapy and added Appendix D; references reviewed and updated. Template changes applied to other diagnoses/indications and continued therapy section.	07.26.22	11.22
4Q 2023 annual review: updated Appendix C with “hypersensitivity reaction to any of its active ingredients” for Orilissa to align with prescribing information; references reviewed and updated.	07.18.23	11.23
4Q 2024 annual review: for Oriahnn, added HIM non-formulary disclaimer and reference to formulary exception policy HIM.PA.103; references reviewed and updated.	07.15.24	11.24
4Q 2025 annual review: no significant changes; added step therapy bypass for IL HIM per IL HB 5395; references reviewed and updated.	07.10.25	11.25

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members, and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation[®] are registered trademarks exclusively owned by Centene Corporation.